
























































Star Rating List for Submersible Pump Set


S.No	Brand	Model No	Head (meters)	Discharge (lps)	No of Stages	Pump set Rating(kW)	Overall efficiency (%)	Approval Date	Valid Till	Star Rating
1	KSB	CORA 3CH/11 + XUMA DX(S)100-6/22	66	0.83	11	1.1	30.68	01-02-2020	21-01-2021	
2	KSB	UQD 182/13+UM AI 150-8/22	123	3.33	13	7.5	52.93	01-06-2020	31-05-2023	
3	KSB	BPD 242/12+UM AI 150-13/22	125	6.67	12	11.0	59.13	12-06-2020	11-06-2023	
4	KSB	UQDs 112/23+UM AI 150-6/22	173	1.67	23	5.5	49.92	01-06-2020	31-05-2023	
5	KSB	BPD 242/4A+UM AI 150-3/22	38	6.67	4	3.7	54.38	12-06-2020	11-06-2023	
6	KSB	UQDs 182/13+UM AI 150-8/22	123	3.33	13	7.5	52.93	12-06-2020	11-06-2023	
7	KSB	UQD 182/10+UM AI 150-6/22	95	3.33	10	5.5	52.26	01-06-2020	31-05-2023	
8	KSB	UQD 152/20+UM AI 150-8/22	149	2.78	20	7.5	53.72	12-06-2020	11-06-2023	
9	KSB	UQD 152/11+UM AI 150-3/22	81	2.78	11	3.7	51	01-06-2020	31-05-2023	
10	KSB	CORACHROM 150-17/09+UMAI 150-4/22	76	4.44	9	4.5	53.63	01-06-2020	31-05-2023	
11	KSB	CORACHROM 150-17/07+UMAI 150-3/22	59	4.44	7	3.7	51.47	12-06-2020	11-06-2023	
12	KSB	CORACHROM 150-17/06+UMAI 150-3/22	50	4.44	6	3.7	51.47	01-06-2020	31-05-2023	
13	KSB	CORA 3C/09+LX(S)PLUS 100-5/22	43.20	0.83	9	0.75	30.74	25-06-2020	24-06-2023	
14	KSB	CORA 3C/10+LX(S)PLUS 100-5/22	48	0.83	10	0.75	30.74	25-06-2020	24-06-2023	






15	KSB	CORA 3C/18+LX(S))PLUS 100- 14/22	86.40	0.83	18	1.5	33.64	25-06-2020	24-06-2023	
16	KSB	CORA 3C/20+LX(S))PLUS 100- 14/22	96	0.83	20	1.5	33.64	25-06-2020	24-06-2023	
17	KSB	CORA 3C/15+LX(S))PLUS 100- 13/22	72	0.83	15	1.1	32.48	25-06-2020	24-06-2023	
18	KSB	CORA 4C/17+XUM A DX(S)100- 10/23	79	1.11	17	2.2	38.50	25-06-2020	24-06-2023	
19	KSB	CORA 4C/15G+U MAI 100- 1.5/22	70.50	1.11	15	1.5	41.30	25-06-2020	24-06-2023	
20	KSB	CORA 4C/17G+U MAI 100- 2.2/22	79.90	1.11	17	2.2	41.89	25-06-2020	24-06-2023	
21	KSB	CORA 4C/19G+U MAI 100- 2.2/22	89.36	1.11	19	2.2	41.89	25-06-2020	24-06-2023	
22	KSB	CORA 4C/23G+U MAI 100- 2.2/22	108	1.11	23	2.2	41.89	25-06-2020	24-06-2023	
23	KSB	CORA 4C/25G+U MAI 100- 3.0/22	118	1.11	25	3.0	42.48	25-06-2020	24-06-2023	
24	KSB	UQD 152/08+UM AI 150-3/22	58.90	2.78	8	3.7	51	25-06-2020	24-06-2023	
25	KSB	UQD 152/09+UM AI 150-3/22	66.20	2.78	9	3.7	51	17-07-2020	16-07-2023	
26	KSB	UQDs 112/15+UM AI 150-3/22	113	1.67	15	3.7	48	25-06-2020	24-06-2023	
27	KSB	UQDs 152/10+UM AI 150-3/22	73.64	2.78	10	3.7	51	25-06-2020	24-06-2023	
28	KSB	UQDs 152/11+UM AI 150-3/22	81	2.78	11	3.7	51	25-06-2020	24-06-2023	
29	KSB	UQD 152/06+UM AI 150-2/22	44.50	2.78	6	2.2	48.96	02-07-2020	01-07-2023	
30	KSB	CORA 3C/35+UMA I 100-3.0/22	161	0.833	35	3.0	41.76	25-06-2020	24-06-2023	
31	KSB	UQD 152/12+UM AI 150-4/22	89	2.78	12	4.5	52.36	25-06-2020	24-06-2023	

32	KSB	UQD 152/15+UM AI 150-6/22	112	2.78	15	5.5	53.04	25-06-2020	24-06-2023	
33	KSB	UQD 152/17+UM AI 150-6/22	127	2.78	17	5.5	53.04	25-06-2020	24-06-2023	
34	KSB	UQD 152/22+UM AI 150-8/22	163	2.78	22	7.5	53.72	25-06-2020	24-06-2023	
35	KSB	UQD 152/24+UM AI 150-9/22	178.15	2.78	24	9.3	54.40	25-06-2020	24-06-2023	
36	KSB	UQD 152/26+UM AI 150-9/22	193	2.78	26	9.3	54.40	25-06-2020	24-06-2023	
37	KSB	UQD 112/25+UM AI 150-8/22	188	1.67	25	7.5	50.55	25-06-2020	24-06-2023	
38	KSB	CORA 4C/08+XUM A DX(S)100- 4/22	37.35	1.11	8	0.75	30	25-06-2020	24-06-2023	
39	KSB	CORA 3CH/06+XU MA DX(S)100- 2/22	36	0.83	6	0.55	26.52	01-02-2020	21-01-2021	
40	KSB	CORACHR OM 150- 17/05+UMA I 150-3/22	42	4.44	5	3.7	51.47	12-06-2020	11-06-2023	
41	KSB	UQDs 182/10+UM AI 150-6/22	95	3.33	10	5.5	52.26	12-06-2020	11-06-2023	
42	KSB	UQD 182/06+UM AI 150-3/22	57	3.33	6	3.7	50.25	01-06-2020	31-05-2023	
43	KSB	UQDs 182/06+UM AI 150-3/22	57	3.33	6	3.7	50.25	12-06-2020	11-06-2023	
44	KSB	BPD 242/15+UM AH 150 - 15/23	157	6.670	15	15.0	61.09	02-07-2020	01-07-2023	
45	KSB	CORA 3CH/14+XU MA DX(S)100- 7/22	84	0.83	14	1.5	33.02	04-07-2020	03-07-2023	
46	KSB	CORA 3C/05+XUM A DX(S)100- 1/22	24	0.83	5	0.37	25.52	02-07-2020	01-07-2023	
47	KSB	UQDs 152/15+UM AI 150-6/22	111	2.780	15	5.5	53.04	04-07-2020	03-07-2023	
48	KSB	UQDs 112/30+UM AI 150-8/22	225	1.670	30	7.5	50.56	02-07-2020	01-07-2023	

49	KSB	BPD 242/04+UM AI 150-3/22	42	6.670	4	3.7	54.75	04-07-2020	03-07-2023	
50	KSB	UQDs 152/08+UM AI 150-3/22	60	2.780	8	3.7	51.00	02-07-2020	01-07-2023	
51	KSB	BPD 242/5A+UM AI 150-4/22	48	6.670	5	4.5	55.83	04-07-2020	03-07-2023	
52	KSB	CORA 3CH/09+XU MA DX(S)100- 4/22	54	0.83	9	0.75	28.60	02-07-2020	01-07-2023	
53	KSB	CORA 3CH/16+XU MA DX(S)100- 7/22	96	0.83	16	1.5	33.02	04-07-2020	03-07-2023	
54	KSB	CORA 3C/20+XUM A DX(S)100- 7/22	96	0.83	20	1.5	34.50	02-07-2020	01-07-2023	
55	KSB	UQD 112/36+UM AI 150-9/22	270	1.67	36	9.3	51.20	04-07-2020	03-07-2023	
56	KSB	UQDs 152/09+UM AI 150-3/22	66.28	2.780	9	3.7	51.00	04-07-2020	03-07-2023	
57	KSB	UQDs 112/25+UM AI 150-6/22	188	1.67	25	5.5	49.92	04-07-2020	03-07-2023	
58	KSB	UQD 152/07+UM AI 150-2/22	52.0	2.78	7	2.2	48.96	02-07-2020	01-07-2023	
59	KSB	UQD 112/18+UM AI 150-4/22	135	1.670	18	4.5	49.28	04-07-2020	03-07-2023	
60	KSB	UQD 112/23+UM AI 150 6/22	173.00	1.67	23	5.5	49.92	02-07-2020	01-07-2023	
61	KSB	BPD 262/05A+U MAI 150- 3/22	36.50	7.780	5	3.7	55.48	04-07-2020	03-07-2023	
62	KSB	BPD 262/06A+U MAI 150- 4/22	43.50	7.780	6	4.5	56.94	02-07-2020	01-07-2023	
63	KSB	BPD 262/04+UM AI 150-3/22	32	8.330	4	3.7	55.48	04-07-2020	03-07-2023	
64	KSB	BPD 262/05+UM AI 150-4/22	40	8.330	5	4.5	56.94	02-07-2020	01-07-2023	
65	KSB	BPD 242/6A+UM AI 150-6/22	57	6.670	6	5.5	58.07	04-07-2020	03-07-2023	

66	KSB	BPD 242/8A+UM AI 150-8/22	76	6.670	8	7.5	58.80	02-07-2020	01-07-2023	
67	KSB	BPD 242/10A+U MAI 150- 9/22	95	6.670	10	9.3	59.54	04-07-2020	03-07-2023	
68	KSB	BPD 242/12A+U MAI 150- 13/22	114	6.67	12	11.0	60.27	02-07-2020	01-07-2023	
69	KSB	BPD 242/08+UM AI 150-8/22	84	6.67	8	7.5	59.20	04-07-2020	03-07-2023	
70	KSB	BPD 242/10+UM AI 150-9/22	105	6.67	10	9.3	59.94	02-07-2020	01-07-2023	
71	KSB	CORA 4C/12G+U MAI 100- 1.1/22	56.50	1.11	12	1.1	38.35	02-07-2020	01-07-2023	
72	KSB	UQDs 152/06+UM AI 150-2/22	44.50	2.78	6	2.2	48.96	02-07-2020	01-07-2023	
73	KSB	UQDs 152/07+UM AI 150-2/22	52	2.78	7	2.2	48.96	04-07-2020	03-07-2023	
74	KSB	UQD 182/04+UM AI 150-2/22	38	3.330	4	2.2	48.24	02-07-2020	01-07-2023	
75	KSB	UQDs 182/04+UM AI 150-2/22	38	3.33	4	2.2	48.24	04-07-2020	03-07-2023	
76	KSB	UQD 182/08+UM AI 150-4/22	76	3.33	6	4.5	51.59	04-07-2020	03-07-2023	
77	KSB	CORA 4C/09+XUM A DX(S)100- 4/22	42	1.11	9	0.75	31	25-06-2020	24-06-2023	
78	KSB	CORA 3CH/12+XU MA DX(S)100- 6/22	72	0.83	12	1.1	30.68	25-06-2020	24-06-2023	
79	KSB	UQD 112/15+UM AI 150-3/22	113	1.67	15	3.7	48	12-10-2020	31-01-2023	
80	KSB	UQD 152/05+UM AI 100- 1.5/22	37.5	2.78	5	1.5	47.60	07-10-2020	31-01-2023	
81	KSB	UQD 152/06+UM AI 100- 2.2/22	44.60	2.78	6	2.2	48.28	12-10-2020	31-01-2023	
82	KSB	UQD 152/07+UM AI 100- 2.2/22	52	2.78	7	2.2	48.28	07-10-2020	31-01-2023	

83	KSB	UQDs 152/05+UM AI 100- 1.5/22	37	2.78	5	1.5	47.60	12-10-2020	31-01-2023	
84	KSB	BPD 242/02+UM AI 150-2/22	21	6.67	2	2.2	52.56	07-10-2020	31-01-2023	
85	KSB	UQD 112/30+UM AI 150-8/22	225	1.67	30	7.5	50.56	12-10-2020	31-01-2023	
86	KSB	CORACHR OM 150- 30/04+UMA I 150-3/22	35	6.67	4	3.7	54	07-10-2020	31-01-2023	
87	KSB	CORACHR OM 150- 30/07+UMA I 150-8/22	62	6.67	7	7.5	58.40	12-10-2020	31-01-2023	
88	KSB	CORACHR OM 150- 17/10+UMA I 150-6/22	84	4.44	10	5.5	55.77	13-10-2020	31-01-2023	
89	KSB	CORA 4C/06+XUM A DX(S)100- 2/22	28	1.11	6	0.55	27.50	13-10-2020	31-01-2023	
90	KSB	BPD 262/02 + XUMA DX(S) 100- 10/23	16	8.33	2	2.2	46.40	12-10-2020	31-01-2023	
91	KSB	UQDs 152/12+UM AI 150-4/22	89	2.78	12	4.5	52.36	04-07-2020	03-07-2023	
92	KSB	UQDs 152/20+UM AI 150-8/22	149	2.78	20	7.5	53.72	04-07-2020	03-07-2023	
93	KSB	UQDs 182/08+UM AI 150-4/22	76	3.33	8	4.5	51.59	04-07-2020	03-07-2023	
94	KSB	UQDs 152/30+UM AI 150- 13/22	223	2.78	30	11.0	55.08	04-07-2020	03-07-2023	
95	KSB	BPD 242/05+UM AI 150-4/22	52	6.67	5	4.5	56.21	04-07-2020	03-07-2023	
96	KSB	BPD 242/06+UM AI 150-6/22	63	6.67	6	5.5	56.94	02-07-2020	01-07-2023	
97	KSB	UQDs 112/18+UM AI 150-4/22	135	1.67	18	4.5	49.28	04-07-2020	03-07-2023	
98	KSB	UQDs 152/24+UM AI 150-9/22	178	2.78	24	9.3	54.40	02-07-2020	01-07-2023	
99	KSB	UQDs 152/26+UM AI 150-9/22	193	2.78	26	9.3	54.40	04-07-2020	03-07-2023	

100	KSB	BPD 242/14A+U MAG 150- 16/21	133	6.67	14	13.0	60.27	02-07-2020	01-07-2023	
101	KSB	UQDs 152/22+UM AI 150-8/22	163	2.78	22	7.5	53.72	04-07-2020	03-07-2023	
102	KSB	CORACHR OM 150- 30/05+UMA ISOL 150 CH-6/22	44	6.67	5	5.5	57.67	04-07-2020	03-07-2023	
103	KSB	CORACHR OM 150- 30/07+UMA ISOL 150 CH 9/22	62	6.67	7	9.3	58.40	04-08-2020	03-08-2023	
104	KSB	CORACHR OM 150- 17/09+UMA ISOL 150 CH 6/22	76	4.44	9	5.5	56.16	04-07-2020	03-07-2023	
105	KSB	UQD 152/10+UM AI 150-3/22	73.60	2.78	10	3.7	51	02-07-2020	01-07-2023	